



JAI DURGA ELECTRICALS

HOTMAX® REDHOT® HotPort® Topro®

Heating Elements

JD SERIES PRODUCT CATALOGUE



IS : 368
IS : 302-2
IS : 3017
IS : 4159

An ISO 9001 : 2008 Certified Company

OUR **STANDARD PRODUCTS** OFFER A GREAT
STARTING POINT FOR YOUR PROJECT



OUR **CUSTOM HEATING SOLUTIONS**
OFFER GROUND UP CUSTOMIZATION

Complete Range of Heating Elements

* Industrial * Commercial * Domestic



Manufactured by :

JAI DURGA ELECTRICALS

Bawana, Delhi-39

Company Profile

INTRODUCTION

Jai Durga Electricals (JDE) is a largest producer of tubular heating elements for domestic and industrial applications in India. The elements are sold under the various brand name. The heating elements are manufactured at our two plants located in states of Delhi in INDIA. The plants are capable for handling huge volumes both for domestic and export markets. The elements are sold to OEMs as well as in the spares market. Our customers for heating elements include all major domestic and multinational white goods manufacturers in India. From the day of inception, JDE has come a long way with a strong determination to survive all odds, we are committed to:-

- In-corporate latest innovations and technological expertise in our production systems that are cost effective.
- To excel in every aspect of product quality and customer satisfaction.
- Our nationwide acceptance is rooted in quality processes that are employed at every step throughout the enterprise production line

TEAM JDE

The company is backed by diligent team of highly qualified engineers and professionals with more than 35 years in the specialized field of electric heating elements, we are able to gain proficiency in producing the top class products in industry. We have hired the employees on several grounds of their knowledge, qualification, experience, and dedication. With the help of their determined tasks and performance, all the operations are carried out in systematic and managed manner. We provide them regular training sessions also. Having vast experience in designing elements and also expanding vertically, we at JDE have started a separate division dedicated to designing units and systems. This division will be responsible from enquiry to designing to execution of the units. We will also provide third party inspections. In order to fuel expansion, to

enhance our range of products we are planning to introduce value added products with latest technology.

WHY JDE

Working with the objective to bring regular improvements in our range and serve the best to customers, we are dominating the industry. Technical expertise of our professionals and the focus on research & development tasks have helped us to stand a step ahead of our counterparts. Further, our professionals retain healthy relations with the customers, which help in knowing their exact preferences and then providing them the best products, accordingly. A large number of clients prefer us due to our fair trade practices, reasonable prices and on time delivery of orders at their desired place.

The major features, which keep us ahead the competitors are:

- Proficient team
- Widespread market distribution network
- Timely delivery
- High quality products
- Robust machinery and tools
- Competitive prices
- Prompt after-sales service
- Vast experience in the field of Electrical heating
- ISO 9001:2008 certified plant
- Ample stocks of raw materials for quick delivery
- Adequate Manufacturing capacity
- Dedicated R&D department for new developments
- Quality checking at various stages

Company Factsheet

Basic Information

Nature of Business

Key Customer

Registered Address

Industry

Total No. Of Employee

Year of Establishment

Legal Status of Firm

Partners Name

Infrastructure

Location type

Company USP

Primary Competitive Advantage

Quality Measures / Testing Facilities Yes

Manufacturer

- BHEL
- V-Guard
- SpereHot
- NTPC
- Railways
- Fertilizer Companies
- Marc Enterprises (HINDWARE, ORIENT, MARC & HOTMAX)
- J. C International (CROMPTON)
- Warmex Home Appliance (WARMEX)
- Omnia Appliances Pvt. Ltd
- Intech Digital Technology India Pvt. Ltd. (RACOLD)
- BAJAJ ELECTRICALS LIMITED
- ORIENT ELECTRIC LIMITED
- Ken Lifestyle Pvt Ltd (KENSTAR)
- Mittal Engineering (SUJATA)
- Apex Sales Corporation (SPHEREHOT)
- Smart Enterprises (KENSTAR, ST.SMART & ORIENT, HINDWARE, POLAR)
- Micro Precision Pvt Ltd (CROMPTON)

E-177 & 178, Sector-4,
DSIIDC, Bawana Industrial Area,
Delhi - 110039
Manufacturing and Trading of Domestic, Industrial &
Commercial Heating Elements.
85 employees
1983

Partnership Firm

- Mr.Sanjay Biswas
- Mr.Samir Biswas
- Mr.Bhanu Mandal

- Industrial Area
- Permanent

- Experienced R & D Department
- Good Financial Position & TQM
- Large Product Line
- Large Production Capacity

Product Profile

JD-1

Flange Size OD-92MM
TSP Length-280MM
TSP OD -9.5MM
Element Depth-278MM
Wattage-2KW, 230V



JD-2

Flange Size OD-92MM
TSP Length-312MM
TSP OD -7.8MM
Element Depth-312MM
Wattage-2KW, 230V



JD-3

Flange Size OD-91.5MM
TSP Length-364MM
TSP OD -12.5MM
Element Depth-360MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-4

Flange Size OD-92MM
TSP Length-223.4MM
TSP OD -7.8MM
Element Depth-220MM
Wattage-2KW, 230V



JD-5

Flange Size OD-92MM
TSP Length-276MM
TSP OD -7.8MM
Element Depth-273MM
Wattage-2KW, 230V



JD-6

Flange Size OD-92MM
TSP Length-176.4MM
TSP OD -8.5MM
Element Depth-173MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-7

Flange Size OD-92MM
TSP Length-210MM
TSP OD -7.8MM
Element Depth-227MM
Wattage-2KW, 230V




JD-8

Flange Size OD-92MM
TSP Length-226MM
TSP OD -10MM
Element Depth-223MM
Wattage-2KW, 230V



JD-9

Flange Size OD-92MM
TSP Length-205.5/210MM
TSP OD -8/9.5MM
Element Depth-196MM
Wattage-2KW, 230V



<http://www.jaidurgaelectricals.com>

Product Profile

JD-10

Flange Size OD-92MM
TSP Length-210/313MM
TSP OD -9.5/8.5MM
Element Depth-227MM
Wattage-2KW, 230V



JD-11

Flange Size OD-92MM
TSP Length-313MM
TSP OD -8MM
Element Depth-311MM
Wattage-2KW, 230V



JD-12

Flange Size OD-92MM
TSP Length-185/288MM
TSP OD -9.5MM
Element Depth-374MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-13

Flange Size OD-90X90X15MM
TSP Length-
TSP OD -
Element Depth-270MM
Wattage-2KW, 230V



JD-14

Flange Size OD-90X90X15MM
TSP Length-206MM
TSP OD -7.8MM
Element Depth-216MM
Wattage-2KW, 230V



JD-15

Flange Size OD-90X90X15MM
TSP Length-170MM
TSP OD -7.8MM
Element Depth-240MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS


JD-16

Flange Size OD-90X90X15MM
TSP Length-208.5MM
TSP OD -9.5MM
Element Depth-200MM
Wattage-2KW, 230V



JD-17

Flange Size OD-81X81X10MM
TSP Length-
TSP OD -
Element Depth-163MM
Wattage-2KW, 230V



JD-18

Flange Size OD-81X81X10MM
TSP Length-
TSP OD -
Element Depth-250MM
Wattage-2KW, 230V




<http://www.jaidurgaelectricals.com>

Product Profile

JD-19

Flange Size OD-81X81X10MM
TSP Length-
TSP OD -
Element Depth-255MM
Wattage-2KW, 230V



JD-20

Flange Size OD-61.4MM
TSP Length-
TSP OD -
Element Depth-132MM
Wattage-2KW, 230V



JD-21

Flange Size OD-47.9MM
TSP Length-286MM
TSP OD -9.5MM
Element Depth-236MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-22

Flange Size OD-47.9MM
TSP Length-230MM
TSP OD -9.5MM
Element Depth-210MM
Wattage-2KW, 230V



JD-23

Flange Size OD-122.5MM
TSP Length-290MM
TSP OD -9.5MM
Element Depth-275.5MM
Wattage-2KW, 230V



JD-24

Flange Size OD-89X64X12.6MM
TSP Length-
TSP OD -
Element Depth-163MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS


JD-25

Flange Size OD-89X64X12.4MM
TSP Length-
TSP OD -
Element Depth-213MM
Wattage-2KW, 230V



JD-26

Flange Size OD-102MM
TSP Length-288MM
TSP OD -9.5MM
Element Depth-260MM
Wattage-2KW, 230V



JD-27

Flange Size OD-67MM
TSP Length-400MM
TSP OD -12.7MM
Element Depth-410MM
Wattage-2KW, 230V



<http://www.jaidurgaelectricals.com>

Product Profile

JD-28

Flange Size OD-70MM
TSP Length-261MM
TSP OD -7.8MM
Element Depth-265MM
Wattage-2KW, 230V



JD-29

Flange Size OD-67MM
TSP Length-185MM
TSP OD -7.8MM
Element Depth-206MM
Wattage-2KW, 230V



JD-30

Flange Size OD-68MM
TSP Length-254MM
TSP OD -12.6MM
Element Depth-295MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-31

Flange Size OD-68MM
TSP Length-252MM
TSP OD -12.6MM
Element Depth-260MM
Wattage-2KW, 230V



JD-32

Flange Size OD-68MM
TSP Length-365MM
TSP OD -12.6MM
Element Depth-372MM
Wattage-2KW, 230V



JD-33

Flange Size OD-66MM
TSP Length-148/153MM
TSP OD -7.8/9.5MM
Element Depth-176MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-34

Flange Size OD-73MM
TSP Length-153MM
TSP OD -9.5MM
Element Depth-206MM
Wattage-2KW, 230V



JD-35

Flange Size OD-70MM
TSP Length-134MM
TSP OD -7.8MM
Element Depth-243MM
Wattage-2KW, 230V



JD-36

Flange Size OD-74MM
TSP Length-203MM
TSP OD -9.5MM
Element Depth-210MM
Wattage-2KW, 230V



<http://www.jaidurgaelectricals.com>

Product Profile

JD-37

Flange Size OD-72.5MM
TSP Length-250MM
TSP OD -12.7MM
Element Depth-260MM
Wattage-2KW, 230V




JD-38

Flange Size OD-47.5MM
TSP Length-
TSP OD -
Element Depth-
Wattage-2KW, 230V



JD-39

Flange Size OD-111MM
TSP Length-284MM
TSP OD -9.5MM
Element Depth-290MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS


JD-40

Flange Size OD-91.5MM
TSP Length-100MM
TSP OD -9.5MM
Element Depth-225MM
Wattage-2KW, 230V



JD-41

Flange Size OD-71MM
TSP Length-230MM
TSP OD -7.8MM
Element Depth-236MM
Wattage-2KW, 230V



JD-42


Flange Size OD-68MM
TSP Length-248MM
TSP OD -7.8MM
Element Depth-205MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-43

Flange Size OD-81X81X10MM
TSP Length-
TSP OD -
Element Depth-169MM
Wattage-2KW, 230V



JD-44

Flange Size OD-71MM
TSP Length-122MM
TSP OD -7.8MM
Element Depth-412MM
Wattage-2KW, 230V



JD-45

Flange Size OD-92MM
TSP Length-307MM
TSP OD -7.8MM
Element Depth-298MM
Wattage-2KW, 230V



<http://www.jaidurgaelectricals.com>

Product Profile

JD-46

Flange Size OD-92MM
TSP Length-180MM
TSP OD -8MM
Element Depth-250MM
Wattage-2KW, 230V



JD-47

Flange Size OD-92MM
TSP Length-180MM
TSP OD -7.8MM
Element Depth-235MM
Wattage-2KW, 230V



JD-48

Flange Size OD-92MM
TSP Length-
TSP OD -
Element Depth-265MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-49

Flange Size OD-106X75X8MM
TSP Length-
TSP OD -
Element Depth-151MM
Wattage-2KW, 230V



JD-50

Flange Size OD-66MM
TSP Length-180MM
TSP OD -7.8MM
Element Depth-198MM
Wattage-2KW, 230V



JD-51

Flange Size OD-89X64X13MM
TSP Length-
TSP OD -
Element Depth-148MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-52

Flange Size OD-68MM
TSP Length-134MM
TSP OD -9.5MM
Element Depth-385MM
Wattage-2KW, 230V



JD-53

Flange Size OD-92MM
TSP Length-295MM
TSP OD -8MM
Element Depth-295MM
Wattage-2KW, 230V



JD-54

Flange Size OD-89X64X12MM
TSP Length-
TSP OD -
Element Depth-200MM
Wattage-2KW, 230V




<http://www.jaidurgaelectricals.com>

Product Profile

JD-55

Flange Size OD-99.5MM
TSP Length-
TSP OD -
Element Depth-96MM
Wattage-2KW, 230V



JD-56

Flange Size OD-72.5MM
TSP Length-221/196MM
TSP OD -7.8/9.5MM
Element Depth-230MM
Wattage-2KW, 230V



JD-57

Flange Size OD-92MM
TSP Length-180MM
TSP OD -9.5MM
Element Depth-188MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-58

Flange Size OD-50X28X5MM
TSP Length-
TSP OD -
Element Depth-130MM
Wattage-2KW, 230V




JD-59

Flange Size OD-65MM
TSP Length-
TSP OD -
Element Depth-172MM
Wattage-2KW, 230V



JD-60

Flange Size OD-111MM
TSP Length-288MM
TSP OD -9.5MM
Element Depth-310MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-61

Flange Size OD-47.9MM
TSP Length-286MM
TSP OD -9.5MM
Element Depth-364MM
Wattage-2KW, 230V



JD-62

Flange Size OD-76X76X10MM
TSP Length-184MM
TSP OD -9.8MM
Element Depth-180MM
Wattage-2KW, 230V



JD-63

Flange Size OD-92MM
TSP Length-185MM
TSP OD -9.5MM
Element Depth-290MM
Wattage-2KW, 230V



<http://www.jaidurgaelectricals.com>

Product Profile

JD-64

Flange Size OD-92MM
TSP Length-284MM
TSP OD -8MM
Element Depth-295MM
Wattage-2KW, 230V



JD-65

Flange Size OD-68MM
TSP Length-247MM
TSP OD -7.8MM
Element Depth-252MM
Wattage-2KW, 230V



JD-66

Flange Size OD-68MM
TSP Length-196MM
TSP OD -7.8MM
Element Depth-215MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-67

Flange Size OD-92MM
TSP Length-192MM
TSP OD -8MM
Element Depth-248MM
Wattage-2KW, 230V



JD-68

Flange Size OD-68MM
TSP Length-189MM
TSP OD -12.7MM
Element Depth-220MM
Wattage-2KW, 230V



JD-69

Flange Size OD-92MM
TSP Length-172MM
TSP OD -9.5MM
Element Depth-178MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-70

Flange Size OD-68MM
TSP Length-159MM
TSP OD -7.8MM
Element Depth-330MM
Wattage-2KW, 230V



JD-71

Flange Size OD-90X90X15MM
TSP Length-173MM
TSP OD -7.8MM
Element Depth-300MM
Wattage-2KW, 230V



JD-72

Flange Size OD-
TSP Length-
TSP OD -
Element Depth-120MM
Wattage-2KW, 230V



<http://www.jaidurgaelectricals.com>

Product Profile

JD-73

Flange Size OD-87X87X10MM
TSP Length-197MM
TSP OD -9.5MM
Element Depth-215MM
Wattage-2KW, 230V



JD-74

Flange Size OD-87X87X10MM
TSP Length-197MM
TSP OD -9.5MM
Element Depth-215MM
Wattage-2KW, 230V



JD-75

Flange Size OD-68MM
TSP Length-154MM
TSP OD -7.8MM
Element Depth-240MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-76

Flange Size OD-72MM
TSP Length-204MM
TSP OD -7.8MM
Element Depth-104MM
Wattage-2KW, 230V



JD-77

Flange Size OD-87X87X10MM
TSP Length-278MM
TSP OD -12.6MM
Element Depth-286MM
Wattage-2KW, 230V



JD-78

Flange Size OD-111MM
TSP Length-274MM
TSP OD -9.5MM
Element Depth-360MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS


JD-79

Flange Size OD-111MM
TSP Length-279MM
TSP OD -9.5MM
Element Depth-285MM
Wattage-2KW, 230V



JD-80

Flange Size OD-68MM
TSP Length-202MM
TSP OD -7.8MM
Element Depth-210MM
Wattage-2KW, 230V



JD-81

Flange Size OD-92MM
TSP Length-112MM
TSP OD -9.5MM
Element Depth-385MM
Wattage-2KW, 230V



<http://www.jaidurgaelectricals.com>

Product Profile

JD-82

Flange Size OD-100X100X15MM
TSP Length-374MM
TSP OD -8MM
Element Depth-395MM
Wattage-2KW, 230V



JD-83

Flange Size OD-132.5MM
TSP Length-275MM
TSP OD -7.8MM
Element Depth-304MM
Wattage-2KW, 230V



JD-84

Flange Size OD-132.5MM
TSP Length-272MM
TSP OD -7.8MM
Element Depth-285MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-85

Flange Size OD-89X64X12MM
TSP Length-
TSP OD -
Element Depth-170MM
Wattage-2KW, 230V



JD-86

Flange Size OD-81X81X10M
TSP Length-
TSP OD -
Element Depth-165MM
Wattage-2KW, 230V



JD-87


Flange Size OD-92MM
TSP Length-250MM
TSP OD -12.5MM
Element Depth-260MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-88

Flange Size OD-81X81X10MM
TSP Length-
TSP OD -
Element Depth-352MM
Wattage-2KW, 230V



JD-89

Flange Size OD-92MM
TSP Length-124MM
TSP OD -9.5MM
Element Depth-246MM
Wattage-2KW, 230V



JD-90

Flange Size OD-66MM
TSP Length-132MM
TSP OD -7.8MM
Element Depth-155MM
Wattage-2KW, 230V



<http://www.jaidurgaelectricals.com>

Product Profile

JD-91

Flange Size OD-66MM
TSP Length-214MM
TSP OD -7.8MM
Element Depth-210MM
Wattage-2KW, 230V



JD-92

Flange Size OD-66MM
TSP Length-276MM
TSP OD -7.8MM
Element Depth-272MM
Wattage-2KW, 230V



JD-93

Flange Size OD-101X101X15
TSP Length-174MM
TSP OD -8MM
Element Depth-198MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-94

Flange Size OD-92MM
TSP Length-150MM
TSP OD -9.5MM
Element Depth-150MM
Wattage-2KW, 230V



JD-95

Flange Size OD-92MM
TSP Length-226MM
TSP OD -8MM
Element Depth-227MM
Wattage-2KW, 230V



JD-96

Flange Size OD-68MM
TSP Length-172MM
TSP OD -8MM
Element Depth-180MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-97

Flange Size OD-111MM
TSP Length-284MM
TSP OD -9.5MM
Element Depth-230MM
Wattage-2KW, 230V



JD-98

Flange Size OD-68MM
TSP Length-196MM
TSP OD -7.8MM
Element Depth-220MM
Wattage-2KW, 230V



JD-99

Flange Size OD-92MM
TSP Length-175MM
TSP OD -7.8MM
Element Depth-298MM
Wattage-2KW, 230V



<http://www.jaidurgaelectricals.com>

Product Profile

JD-100

Flange Size OD-135MM
TSP Length-182MM
TSP OD -9.5MM
Element Depth-330MM
Wattage-2KW, 230V



JD-101

Flange Size OD-62MM
TSP Length-175MM
TSP OD -9.5MM
Element Depth-172MM
Wattage-2KW, 230V



JD-102

Flange Size OD-62MM
TSP Length-175MM
TSP OD -12.6MM
Element Depth-172MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-103

Flange Size OD-135MM
TSP Length-288MM
TSP OD -8MM
Element Depth-330MM
Wattage-2KW, 230V



JD-104

Flange Size OD-135MM
TSP Length-135MM
TSP OD -10MM
Element Depth-425MM
Wattage-2KW, 230V



JD-105

Flange Size OD-92MM
TSP Length-360MM
TSP OD -8MM
Element Depth-362MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-106

Flange Size OD-74MM
TSP Length-187MM
TSP OD -9.5MM
Element Depth-206MM
Wattage-2KW, 230V



JD-107

Flange Size OD-81X81X10MM
TSP Length-
TSP OD -
Element Depth-210MM
Wattage-2KW, 230V



JD-108

Flange Size OD-92MM
TSP Length-278MM
TSP OD -8MM
Element Depth-272MM
Wattage-2KW, 230V




<http://www.jaidurgaelectricals.com>

Product Profile

JD-109

Flange Size OD-92MM
TSP Length-
TSP OD -
Element Depth-175MM
Wattage-2KW, 230V



JD-110

Flange Size OD-71MM
TSP Length-142MM
TSP OD -7.7MM
Element Depth-160MM
Wattage-2KW, 230V



JD-111

Flange Size OD-78.5MM
TSP Length-128MM
TSP OD -10MM
Element Depth-135MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-112

Flange Size OD-78.5MM
TSP Length-201MM
TSP OD -8MM
Element Depth-202MM
Wattage-2KW, 230V



JD-113

Flange Size OD-105MM
TSP Length-188MM
TSP OD -9.5MM
Element Depth-194MM
Wattage-2KW, 230V



JD-114

Flange Size OD-92MM
TSP Length-155MM
TSP OD -11MM
Element Depth-400MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-115

Flange Size OD-101X101X15MM
TSP Length-215MM
TSP OD -8MM
Element Depth-250MM
Wattage-2KW, 230V



JD-116

Flange Size OD-101X101X15MM
TSP Length-245MM
TSP OD -8MM
Element Depth-250MM
Wattage-2KW, 230V



JD-117

Flange Size OD-92MM
TSP Length-188MM
TSP OD -8MM
Element Depth-182MM
Wattage-2KW, 230V



<http://www.jaidurgaelectricals.com>

Product Profile

JD-118

Flange Size OD-92MM
TSP Length-100MM
TSP OD -9.5MM
Element Depth-96MM
Wattage-2KW, 230V



JD-119

Flange Size OD-48MM
TSP Length-162MM
TSP OD -10MM
Element Depth-165MM
Wattage-2KW, 230V



JD-120

Flange Size OD-48MM
TSP Length-155MM
TSP OD -10MM
Element Depth-170MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-121

Flange Size OD-101X101X15MM
TSP Length-214MM
TSP OD -7.8MM
Element Depth-235MM
Wattage-2KW, 230V




JD-122

Flange Size OD-101X101X15MM
TSP Length-165/187MM
TSP OD -8.5/9.5MM
Element Depth-180MM
Wattage-2KW, 230V



JD-123

Flange Size OD-87X87X10MM
TSP Length-174MM
TSP OD -7.8MM
Element Depth-370MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-124

Flange Size OD-101X101X15MM
TSP Length-208/293MM
TSP OD -8.5/9.5MM
Element Depth-285MM
Wattage-2KW, 230V




JD-125

Flange Size OD-100X100X15MM
TSP Length-180MM
TSP OD -8MM
Element Depth-180MM
Wattage-2KW, 230V



JD-126

Flange Size OD-100X100X15MM
TSP Length-280MM
TSP OD -8MM
Element Depth-280MM
Wattage-2KW, 230V



<http://www.jaidurgaelectricals.com>

Product Profile

JD-127

Flange Size OD-120MM
TSP Length-191MM
TSP OD -10MM
Element Depth-192MM
Wattage-2KW, 230V




JD-128

Flange Size OD-92MM
TSP Length-180MM
TSP OD -12.7MM
Element Depth-200MM
Wattage-2KW, 230V



JD-129


Flange Size OD-105MM
TSP Length-222MM
TSP OD -7.8MM
Element Depth-230MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-130

Flange Size OD-111MM
TSP Length-139MM
TSP OD -10MM
Element Depth-320MM
Wattage-2KW, 230V




JD-131

Flange Size OD-48MM
TSP Length-230MM
TSP OD -8MM
Element Depth-220MM
Wattage-2KW, 230V



JD-132


Flange Size OD-82.5MM
TSP Length-355MM
TSP OD -12.7MM
Element Depth-350MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-133

Flange Size OD-48MM
TSP Length-278MM
TSP OD -10MM
Element Depth-285MM
Wattage-2KW, 230V



JD-134

Flange Size OD-115MM
TSP Length-320MM
TSP OD -11MM
Element Depth-300MM
Wattage-2KW, 230V



JD-135

Flange Size OD-102.5MM
TSP Length-230MM
TSP OD -8MM
Element Depth-200MM
Wattage-2KW, 230V



<http://www.jaidurgaelectricals.com>

Product Profile

JD-136

Flange Size OD-78.6MM
TSP Length-200MM
TSP OD -10MM
Element Depth-208MM
Wattage-2KW, 230V



JD-137

Flange Size OD-90MM
TSP Length-295MM
TSP OD -10MM
Element Depth-302MM
Wattage-2KW, 230V



JD-138

Flange Size OD-90MM
TSP Length-200MM
TSP OD -10MM
Element Depth-205MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-139

Flange Size OD-92MM
TSP Length-210/190MM
TSP OD -9.5/8MM
Element Depth-205MM
Wattage-2KW, 230V



JD-140

Flange Size OD-90MM
TSP Length-250MM
TSP OD -12.6MM
Element Depth-256MM
Wattage-2KW, 230V



JD-141

Flange Size OD-112X12MM
TSP Length-285MM
TSP OD -9.5MM
Element Depth-280MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-142

Flange Size OD-90MM
TSP Length-200MM
TSP OD -9.5MM
Element Depth-195MM
Wattage-2KW, 230V



JD-143

Flange Size OD-92MM
TSP Length-278MM
TSP OD -8MM
Element Depth-290MM
Wattage-2KW, 230V



JD-144

Flange Size OD-
TSP Length-
TSP OD -
Element Depth-215MM
Wattage-2KW, 230V




<http://www.jaidurgaelectricals.com>

Product Profile

JD-145

Flange Size OD-
TSP Length-
TSP OD -
Element Depth-135MM
Wattage-2KW, 230V



JD-146

Flange Size OD-92MM
TSP Length-273/292MM
TSP OD -8/9.5MM
Element Depth-295MM
Wattage-2KW, 230V



JD-147


Flange Size OD-92MM
TSP Length-180/185MM
TSP OD -8/9.5MM
Element Depth-280MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS


JD-148

Flange Size OD-101X101X15MM
TSP Length-133MM
TSP OD -8MM
Element Depth-155MM
Wattage-2KW, 230V



JD-149

Flange Size OD-76.5X76.5X10MM
TSP Length-288MM
TSP OD -9.5MM
Element Depth-295MM
Wattage-2KW, 230V



JD-150

Flange Size OD-120X87MM
TSP Length-285MM
TSP OD -9.5MM
Element Depth-245MM
Wattage-2KW, 230V



JAI DURGA ELECTRICALS

JD-151

Flange Size OD-81X81X10MM
TSP Length-
TSP OD -
Element Depth-120MM
Wattage-2KW, 230V



JD-152

Flange Size OD-115MM
TSP Length-233MM
TSP OD -8MM
Element Depth-233MM
Wattage-2KW, 230V



JD-153

Flange Size OD-85MM
TSP Length-188MM
TSP OD -12.7MM
Element Depth-340MM
Wattage-2KW, 230V



<http://www.jaidurgaelectricals.com>

Product Profile

JD-154

Flange Size OD-85MM
TSP Length-175MM
TSP OD -8MM
Element Depth-185MM
Wattage-2KW, 230V



JD-155

Flange Size OD-92MM
TSP Length-97MM
TSP OD -8MM
Element Depth-148MM
Wattage-2KW, 230V



JD-156

Flange Size OD-92MM
TSP Length-375MM
TSP OD -8MM
Element Depth-306MM
Wattage-2KW, 230V




JAI DURGA ELECTRICALS

JAI DURGA ELECTRICALS

JAI DURGA ELECTRICALS

JD-157

Flange Size OD-101X101X15MM
TSP Length-215MM
TSP OD -8MM
Element Depth-210MM
Wattage-2KW, 230V




JD-158

Flange Size OD-101X101X15MM
TSP Length-330MM
TSP OD -8MM
Element Depth-320/260MM
Wattage-3KW, 230V



JD-159

Flange Size OD-101.6x101.6x14MM
Tsp Lenght-260MM
Tsp OD-8.2MM
Element Depth-241.5MM
wattage-3kw 230v




JAI DURGA ELECTRICALS

JAI DURGA ELECTRICALS

JAI DURGA ELECTRICALS

JD-160

Flange Size OD-92.3MM
Tsp Lenght-153MM
Tsp OD-10MM
Element Depth-170MM
wattage-2kw 230v



JD-161

Flange Size OD-82.5MM
Tsp Lenght-188MM
Tsp OD-12.8MM
Element Depth-208MM
wattage-2kw 230v



JD-162


Flange Size OD-92.3MM
Tsp Lenght-207.4MM
Tsp OD-8MM
Element Depth-231MM
wattage-2kw 230v



Product Profile

JD-163

Flange Size OD-92MM
Tsp Lenght-195MM
Tsp OD-8MM
Element Depth-167MM
wattage-3kw 230v



JD-164

Flange Size OD-92MM
Tsp Lenght-150MM
Tsp OD-11.5MM
Element Depth-330MM
wattage-2kw 230v



JAI DURGA ELECTRICALS

JAI DURGA ELECTRICALS

JAI DURGA ELECTRICALS

JAI DURGA ELECTRICALS

JAI DURGA ELECTRICALS

JAI DURGA ELECTRICALS





IMMERSION WATER HEATER (Eco. Regular, Special)

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	1000	230V	250	180	JD01
2.	1500	230V	250	180	JD02
3.	2000	230V	250	180	JD03

AUTO KETTLE ELEMENT

S. No.		Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	Reg.	1000	230V	155	120	JD04
2.	Reg.	1500	230V	155	120	JD05
3.	Reg.	2000	230V	155	120	JD06
4.	Spl.	1000	230V	155	120	JD07
5.	Spl.	1500	230V	155	120	JD08
6.	Spl.	2000	230V	155	120	JD09

DIRECT/NON AUTO KETTLE ELEMENT

S. No.		Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	Reg.	1000	230V	155	110	JD010
2.	Reg.	1500	230V	155	110	JD011
3.	Reg.	2000	230V	155	110	JD012
4.	Spl.	1000	230V	155	110	JD013
5.	Spl.	1500	230V	155	110	JD014
6.	Spl.	2000	230V	155	110	JD015

1 1/4" BSP(A) & 1 1/2" BSP(B) C.M.O.

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	1000	230V	200	125	JD016
2.	1500	230V	270	200	JD017
3.	2000	230V	290	220	JD018
4.	3000	230V	335	265	JD019



CUP - JOHNSON - NIPPLE TYPE MIDIGATE ELEMENTS

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	2000	230	110	95	JD020
2.	3000	230	150	120	JD021
3.	3000	230	150	120	JD022
4.	3000	230	150	120	JD023
5.	3000	230	170	140	JD024

1" BSP & 9/8" BSP COFFEE MACHINE ELEMENTS

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	1000	230	145	120	JD025
2.	1500	230	170	145	JD026
3.	2000	230	190	165	JD027
4.	3000	230	250	225	JD028

CUP TYPE ELEMENTS

S. No.		Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	Reg.	1000	230	190	178	JD029
2.	Reg.	1500	230	215	200	JD030
3.	Reg.	2000	230	245	230	JD031
4.	Reg.	3000	230	280	265	JD032
5.	Spl.	2000	230	280	265	JD033
6.	Spl.	2000	230	190	178	JD034

TRIANGULAR & SPARE HOT & USHA TYPE ELEMENTS

S. No.		Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	Reg.	1000	230	190	178	JD035
2.	Reg.	1500	230	215	200	JD036
3.	Reg.	2000	230	245	230	JD037
4.	Reg.	3000	230	280	265	JD038
5.	Spl.	2000	230	280	265	JD039
6.	Spl.	2000	230	190	178	JD040





NEW BAJAJ OLD CLIPPING & NEW CLIPPING ELEMENTS

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	2000	230	270	240	JD041
2.	2000	230	270	240	JD042

BAJAJ ECO / BANANA & USHA ECO / BANANA ELEMENTS

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	2000	230	260	250	JD043
2.	2000	230	240	230	JD044
3.	2000	230	240	230	JD045

ALTRO RECOLD ELEMENTS

S. No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1. STP	2000	230	315	300	JD046
2. DTP	2000	230	315	300	JD047
3. HORZ.	2000	230	410	380	JD048

ETERNO RECOLD ELEMENTS

S. No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	2000	230	270	240	JD049
2. HORZ.	2000	230	440	400	JD050

SPARE HOT BIG & SMALL CUP ELEMENTS

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	1500	230	215	200	JD051
2.	2000	230	245	230	JD052
3.	3000	230	280	265	JD053

WASHING MACHINE NIPPLE TYPE ELEMENTS

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	1500	230	180	150	JD054
2.	2000	230	195	168	JD055

STERILIZER ELEMENTS

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	500	230	160	120	JD056
2.	1000	230	180	140	JD057
3.	1500	230	200	160	JD058
4.	2000	230	215	175	JD059

STERILIZER NIPPLE TYPE ELEMENTS

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	500	230	150	—	JD060
2.	1000	230	200	—	JD061
3.	1500	230	250	—	JD062
4.	2000	230	300	—	JD063

NON AUTO / DIRECT HALF & FULL ROUND ELEMENTS

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	1000	230	—	—	JD064
2.	1500	230	—	—	JD065
3.	2000	230	—	—	JD066

34 MM/ 37MM DIA VENUS WATER ELEMENTS (PORCELAIN)

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	1000	230	250	200	JD067
2.	1500	230	300	250	JD068
3.	2000	230	350	300	JD069

AVAIL BY - 2 PIN, 3 PIN & KLIP MODEL





SPARE HOT MIDGET / KWALITY MIDGET

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	2000	230	165	150	JD070
2.	3000	230	165	150	JD071
3. KW	3000	230	165	120	JD072

HORIZONTAL CUP, TRIANGULAR, NIPPLE & SPARE HOT

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	2000	230	280	265	JD073
2.	3000	230	330	315	JD074

HORIZONTAL CROMPTON / BAJAJ / USHA (ECO & REG.) ELEMENTS

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	2000	230	180	165	JD075
2.	2000	230	280	265	JD076
3.	3000	230	280	265	JD077
4.	3000	230	430	415	JD078

1/4" BSP SOLAR WATER HEATER (WITH TSP)

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	2000	230	300	220	JD079
2.	3000	230	340	280	JD080

STEAM BOILER ELEMENT

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Flange Size
1.	3000	230/415	As Per Costumer Specification		75x75
2.	4500	230/415			95x95
3.	6000	230/415			4" Round
4.	9000	230/415			5" Round
5.	12000	230/415			4" Round

NEW MODEL CROMPTON GYSER ELEMENT

S.No.	Watts	Volts	Depth of Immersion (mm)	Catalogue No.
1.	2000	230	Double TSP	



INDUSTRIAL WATER HEATER (B.T.H.) LIGHT 1/4", 1/2" & 2" BSP

S. No.	BSP	TUBE	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	1/4"	II	2000	230	285	225	JD081
2.	1/4"	II	3000	230	340	275	JD082
3.	1/2"	II	2000	230	285	225	JD083
4.	1/2"	II	3000	230	340	275	JD084
5.	1/2"	III	3000	230	285	225	JD085
6.	2"	III	3000	230	300	225	JD086
7.	2"	III	4000	230	350	275	JD087
8.	2"	III	5000	230	380	300	JD088
9.	2"	III	6000	230	450	350	JD089
10.	2"	III	9000	230	510	450	JD090

SPECIAL INDUSTRIAL WATER HEATER (BTH) COPPER (A) & SS 316 L GRADE TUBE (B)

S. No.	BSP	TUBE	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	1/4"	II	2000	230	285	225	JD091
2.	1/4"	II	3000	230	340	275	JD092
3.	1/2"	II	2000	230	285	225	JD093
4.	1/2"	II	3000	230	340	275	JD094
5.	1/2"	III	3000	230	285	225	JD095
6.	2"	III	3000	230	300	225	JD096
7.	2"	III	4000	230	350	275	JD097
8.	2"	III	5000	230	380	300	JD098
9.	2"	III	6000	230	450	350	JD099
10.	2"	III	9000	230	510	450	JD100

SPL. TYPE RACOLD/VENUS GYSER ELEMENT (ALL MODELS AVAILABLE)



OIL IMMERSION HEATER M.S. (A) & S.S. (B) PIPE BSP 2 1/2"

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	2000	230	550	425	JD101
2.	3000	230/415	550	425	JD102
3.	4000	230/415	575	450	JD103
4.	5000	230/415	600	475	JD104
5.	6000	230/415	600	490	JD105
6.	9000	230/415	675	550	JD106

AIR HEATER U TYPE 8.2 mm & 10.8 mm D/A

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	500	230	254	—	JD0105
2.	750	230	458	—	JD0106
3.	1000	230	610	—	JD0107
4.	1500	230	762	—	JD0108
5.	2000	230	990	—	JD0109

AIR FINDS HEATER U TYPE & TRIPLE PIPE

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	500	230	254	—	JD0110
2.	750	230	458	—	JD0111
3.	1000	230	610	—	JD0112
4.	1500	230	762	—	JD0113
5.	2000	230	990	—	JD0114

STRIP HEATER & STRIP FINDS HEATER

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	500	230	305	—	JD0115
2.	750	230	458	—	JD0116
3.	1000	230	610	—	JD0117
4.	1500	230	762	—	JD0118
5.	2000	230	736	—	JD0118
6.	3000	230	851	—	JD0120

ALKALINE IMMERSION HEATER SS 316 L / TITANIUM / LEAD COVER

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	3000	230	737	486	JD0121
2.	3000	230	737	486	JD0122
3.	3000	230	737	486	JD0123
4.	2000	230	610	460	JD0124

BOBBIN TYPE CHEMICAL HEATER SS / TITANIUM / LEAD COVER / GLASS & SILICA TUBE

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	1000	230	305	205	
2.	1500	230	457	330	
3.	2000	230	610	406	
4.	3000	230	762	508	

D TYPE CARTRIDGE AIR HEATER SS & INCLOY TUBE











S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	9.5 MM TO 25 MM DIA SIZE AVAILABLE				

LOW & HIGH WATTS DENSITY CARTRIDGE HEATER SS & BRASS TUBE

S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1.	ALL SIZE 6 MM TO 40 MM DIA SIZE AVAILABLE				






INDUSTRIAL





INDUSTRIAL





INDUSTRIAL





INDUSTRIAL





INDUSTRIAL






IMMERSION



IMMERSION




IMMERSION





THERMOSTAT

CT-1



CT-2



CT-3



CT-4



CT-5



CT-6



CT-7



CT-8



CT-9



CT-10



CT-11




CT-12






THERMOSTAT


CT-13




CT-14




CT-15



CT-16



Certifications



JAI DURGA ELECTRICALS

HOTMAX® REDHOT® HotPort® Topre®

This image shows a blank sheet of white paper with horizontal dashed lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no other markings or text on the page.



JAI DURGA ELECTRICALS



OUR BRANDS

HOTMAX[®]

Topro[®]

REDHOT[®]

Hotport[®]

JAI DURGA ELECTRICALS

Bawana, Delhi-110039